Author Index

Afzal, D., see Ma, Y. 652(1993)535
Agena, E.A., see Ma, Y. 652(1993)535
Akashi, M., see Baba, Y. 652(1993)93
Akiyama, T., see Satow, T. 652(1993)23
Algaier, J., see Potter, K.J. 652(1993)427
Allington, R.J.B., see Potter, K.J. 652(1993)427
Altria, K.D. and Chanter, Y.L.
Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459
Arentoft, A.M., Frøkiær, H., Michaelsen, S., Sørensen, H. and Sørensen, S.
High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189
Arentoft, A.M., Michaelsen, S. and Sørensen, H.
Determination of oligosaccharides by capillary zone electrophoresis 652(1993)517
Arriaga, E., Chen, D.Y., Cheng, X.L. and Dovichi, N.J.
High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347
Baba, Y., Tsuhako, M., Sawa, T. and Akashi, M.
Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93
Bae, Y.C. and Soane, D.
Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17
Barker, G.E., see Sun, P. 652(1993)247
Barron, A.E., Soane, D.S. and Blanch, H.W.
Capillary electrophoresis of DNA in uncross-linked polymer solutions 652(1993)3
Bello, M.S., De Besi, P. and Righetti, P.G.
Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317
Bello, M.S., Levin, E.I. and Righetti, P.G.
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329
Benko, M.H., see Cleveland, Jr., J.A. 652(1993)301
Benson, L.M., see Tomlinson, A.J. 652(1993)417
Berka, J., see Pariat, Y.F. 652(1993)57
Bjergegaard, C., Michaelsen, S., Mortensen, K. and Sørensen, H.
Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477
Blanch, H.W., see Barron, A.E. 652(1993)3
Bryan, C.R., see Cancalon, P.F. 652(1993)555
Bushey, M.M., see Harman, A.D. 652(1993)525
Cancalon, P.F. and Bryan, C.R.
Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555
Cao, Z.A., see Zhu, M. 652(1993)119
Carrilho, E., see Schmalzing, D. 652(1993)149
Chanter, Y.L., see Altria, K.D. 652(1993)459
Chen, D.Y., see Arriaga, E. 652(1993)347
Chen, F.-T.A., Tusak, A., Pentoney, Jr., S., Konrad, K., Lew, C., Koh, E. and Sternberg, J.
Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355
Cheng, X.L., see Arriaga, E. 652(1993)347
Chiari, M., Nesi, M. and Righetti, P.G.
Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31
Cifuentes, A., Santos, J.M., de Frutos, M. and Diez-Masa, J.C.
High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein–capillary wall interactions 652(1993)161
Cleveland, Jr., J.A., Benko, M.H., Gluck, S.J. and Walbroehl, Y.M.
Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301
Cohen, A.S., see Pariat, Y.F. 652(1993)57
Cole, R.B., see Varghese, J. 652(1993)369
Deacon, M., O'Shea, T.J., Lunte, S.M. and Smyth, M.R.
Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377
De Besi, P., see Bello, M.S. 652(1993)317
DeDionisio, L.
Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101
De Frutos, M., see Cifuentes, A. 652(1993)161
De Jong, N., Visser, S. and Olieman, C.
Determination of milk proteins by capillary electrophoresis 652(1993)207
Desbene, P.L., see Jacquier, J.C. 652(1993)337
Diez-Masa, J.C., see Cifuentes, A. 652(1993)161
Dose, E.V. and Guiochon, G.
Timescales of transient processes in capillary electrophoresis 652(1993)263
Dovichi, N.J., see Arriaga, E. 652(1993)347
Engelhardt, H., see Kohr, J. 652(1993)309
Esaka, Y., Yamaguchi, Y., Kano, K. and Goto, M.
Separation of amino acid–oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225
Everaerts, F.M., see Wanders, B.J. 652(1993)291
Fang, J., see Tomlinson, A.J. 652(1993)417
Fazio, S.D., see Yowell, G.G. 652(1993)215
Fintschenko, Y., see Harman, A.D. 652(1993)525
Foret, F., see Pariat, Y.F. 652(1993)57
Foret, F., see Schmalzing, D. 652(1993)149
Frøkiær, H., see Arentoft, A.M. 652(1993)189
Garcia, L.L. and Shihabi, Z.K.
Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465
Girard, J.E., see Srinivasan, K. 652(1993)83
Gluck, S.J., see Cleveland, Jr., J.A. 652(1993)301

Goodwin, K.R., see Schmerr, M.J. 652(1993)199
Gorrod, J.W., see Tomlinson, A.J. 652(1993)417
Goto, M., see Esaka, Y. 652(1993)225
Grinberg, N., see Sun, P. 652(1993)247
Grön-Rydberg, M.-B., see Johansson, I.M. 652(1993)487
Guiochon, G., see Dose, E.V. 652(1993)263
Guzman, N., see Hernandez, L. 652(1993)393
Guzman, N., see Hernandez, L. 652(1993)399
Hara, T., Yokogi, J., Okamura, S., Kato, S. and Nakajima, R.
On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361
Harman, A.D., Kibbey, R.G., Sablik, M.A., Fintschenko, Y., Kurtin, W.E. and Bushey, M.M.
Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525
Harrold, M.P., see Riviello, J.M. 652(1993)385
Hartwick, R.A., see Sun, P. 652(1993)247
Heiger, D.N., see Pariat, Y.F. 652(1993)57
Hernandez, L., Joshi, N., Murzi, E., Verdeguer, P., Mifsud, J.C. and Guzman, N.
Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399
Hernandez, L., Tucci, S., Guzman, N. and Paez, X.
In vivo monitoring of glutamate in the brain by microdialysis and capillary electrophoresis with laser-induced fluorescence detection 652(1993)393
Hisamitsu, T., see Otsuka, K. 652(1993)253
Holloway, R.R., see Keely, C.A. 652(1993)283
Hoshino, H., see Iki, N. 652(1993)539
Huang, T.-L., see Wu, C.-T. 652(1993)277
Iki, N., Hoshino, H. and Yotsuyanagi, T.
Ion-association capillary electrophoresis. New separation mode for equally and highly charged metal chelates 652(1993)539
Isobe, T., see Izumi, T. 652(1993)41
Izumi, T., Yamaguchi, M., Yoneda, K., Isobe, T., Okuyama, T. and Shinoda, T.
Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41
Jacquier, J.C., Rony, C. and Desbene, P.L.
Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337
Jegle, U.
Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495
Jhon, G.-J., see Yoo, Y.S. 652(1993)431
Johansson, I.M., Grön-Rydberg, M.-B. and Schmekel, B.
Determination of theophylline in plasma using different capillary electrophoretic systems 652(1993)487
Joshi, N., see Hernandez, L. 652(1993)399
Jumppanen, J., Sirén, H. and Riekkola, M.-L.
Screening for diuretics in urine and blood serum by capillary zone electrophoresis 652(1993)441
Jung, J.M., see McCord, B.R. 652(1993)75
Kaliszan, R., see Sun, P. 652(1993)247
Kano, K., see Esaka, Y. 652(1993)225
Karger, B.L.
Foreword 652(1993)1
Karger, B.L., see Pariat, Y.F. 652(1993)57
Karger, B.L., see Schmalzing, D. 652(1993)149
Kashihara, M., see Otsuka, K. 652(1993)253
Kato, S., see Hara, T. 652(1993)361
Kawaguchi, Y., see Otsuka, K. 652(1993)253
Keely, C.A., Holloway, R.R., Van de Goor, T.A.A.M. and McManigill, D.
Dispersion in capillary electrophoresis with external flow control methods 652(1993)283
Kibbey, R.G., see Harman, A.D. 652(1993)525
Kim, Y.S., see Yoo, Y.S. 652(1993)431
Kline, M.C., see Srinivasan, K. 652(1993)83
Kobayashi, H., see Satow, T. 652(1993)23
Koh, E., see Chen, F.-T.A. 652(1993)355
Kohr, J. and Engelhardt, H.
Characterization of quartz capillaries for capillary electrophoresis 652(1993)309
Koike, R., see Otsuka, K. 652(1993)253
Konrad, K., see Chen, F.-T.A. 652(1993)355
Kurtin, W.E., see Harman, A.D. 652(1993)525
Lagu, A.L., see Strege, M.A. 652(1993)179
Lalljie, S.P.D., Vindevogel, J. and Sandra, P.
Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563
Landers, J.P., Oda, R.P., Liebenow, J.A. and Spelsberg, T.C.
Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109
Landers, J.P., see Tomlinson, A.J. 652(1993)171
Landers, J.P., see Tomlinson, A.J. 652(1993)417
Lee, C.S., see Wu, C.-T. 652(1993)277
Lee, H.K., see Ng, C.L. 652(1993)547
Levin, E.I., see Bello, M.S. 652(1993)329
Levi, V., see Zhu, M. 652(1993)119
Lew, C., see Chen, F.-T.A. 652(1993)355
Lewis, I.A.S., see Tomlinson, A.J. 652(1993)171
Li, S.F.Y., see Ng, C.L. 652(1993)547
Liebenow, J.A., see Landers, J.P. 652(1993)109
Lukkari, P., Vuorela, H. and Riekkola, M.-L.
Effect of buffer solution pH on the elution and separation of β-blockers by micellar electrokinetic capillary chromatography 652(1993)451
Lunte, S.M., see Deacon, M. 652(1993)377
Ma, Y., Meyer, K.G., Afzal, D. and Agena, E.A.
Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535
Machida, A., see Satow, T. 652(1993)23
McClure, D.L., see McCord, B.R. 652(1993)75
McCord, B.R., McClure, D.L. and Jung, J.M.
Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75
McGregor, D.A. and Yeung, E.S.
Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67

McManigill, D., see Keely, C.A. 652(1993)283
Meyer, K.G., see Ma, Y. 652(1993)535
Michaelsen, S., Schrøder, M.-B. and Sørensen, H.
Separation and determination of glycosaminoglycan disaccharides by micellar electrokinetic capillary chromatography for studies of pelt glycosaminoglycans 652(1993)503
Michaelsen, S., see Arentoft, A.M. 652(1993)189
Michaelsen, S., see Arentoft, A.M. 652(1993)517
Michaelsen, S., see Bjergegaard, C. 652(1993)477
Mifsud, J.C., see Hernandez, L. 652(1993)399
Morris, S.C., see Srinivasan, K. 652(1993)83
Mortensen, K., see Bjergegaard, C. 652(1993)477
Murzi, E., see Hernandez, L. 652(1993)399
Nakajima, R., see Hara, T. 652(1993)361
Naylor, S., see Tomlinson, A.J. 652(1993)171
Naylor, S., see Tomlinson, A.J. 652(1993)417
Nesi, M., see Chiari, M. 652(1993)31
Ng, C.L., Lee, H.K. and Li, S.F.Y.
Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547
Oda, R.P., see Landers, J.P. 652(1993)109
Okamura, S., see Hara, T. 652(1993)361
Okuyama, T., see Izumi, T. 652(1993)41
Olieman, C., see de Jong, N. 652(1993)207
O'Shea, T.J., see Deacon, M. 652(1993)377
Otsuka, K., Kashihara, M., Kawaguchi, Y., Koike, R., Hisamitsu, T. and Terabe, S.
Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253
Paez, X., see Hernandez, L. 652(1993)393
Pariat, Y.F., Berka, J., Heiger, D.N., Schmitt, T., Vilenchik, M., Cohen, A.S., Foret, F. and Karger, B.L.
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57
Park, J., see Yoo, Y.S. 652(1993)431
Pawliszyn, J., see Wu, J. 652(1993)295
Pentoney, Jr., S., see Chen, F.-T.A. 652(1993)355
Piggee, C.A., see Schmalzing, D. 652(1993)149
Potter, K.J., Allington, R.J.B. and Algaier, J.
Separation of estrogens and rodenticides using capillary electrophoresis with aqueous–methanolic buffers 652(1993)427
Purdy, W.C., see Tadey, T. 652(1993)131
Rawjee, Y.Y., Williams, R.L. and Vigh, G.
Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233
Reeder, D.J., see Srinivasan, K. 652(1993)83
Riekkola, M.-L., see Jumppanen, J. 652(1993)441
Riekkola, M.-L., see Lukkari, P. 652(1993)451
Righetti, P.G., see Bello, M.S. 652(1993)317
Righetti, P.G., see Bello, M.S. 652(1993)329
Righetti, P.G., see Chiari, M. 652(1993)31
Riviello, J.M. and Harrold, M.P.
Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385
Roby, R.K., see Srinivasan, K. 652(1993)83
Rodriguez, R., see Zhu, M. 652(1993)119
Rony, C., see Jacquier, J.C. 652(1993)337
Sablik, M.A., see Harman, A.D. 652(1993)525
Sandra, P., see Lalljie, S.P.D. 652(1993)563
Santos, J.M., see Cifuentes, A. 652(1993)161
Satow, T., Akiyama, T., Machida, A., Utagawa, Y. and Kobayashi, H.
Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23
Sawa, T., see Baba, Y. 652(1993)93
Scanlan, G.F., see Tomlinson, A.J. 652(1993)417
Schmalzing, D., Piggee, C.A., Foret, F., Carrilho, E. and Karger, B.L.
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
Schmekel, B., see Johansson, I.M. 652(1993)487
Schmerr, M.J. and Goodwin, K.R.
Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199
Schmitt, T., see Pariat, Y.F. 652(1993)57
Schmutz, A., see Wolfisberg, H. 652(1993)407
Schrøder, M.-B., see Michaelsen, S. 652(1993)503
Shiffer, K., see Zhu, M. 652(1993)119
Shihabi, Z.K.
Sample matrix effects in capillary electrophoresis. II. Acetonitrile deproteinization 652(1993)471
Shihabi, Z.K., see Garcia, L.L. 652(1993)465
Shinoda, T., see Izumi, T. 652(1993)41
Singhal, R.P. and Xian, J.
Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47
Sirén, H., see Jumppanen, J. 652(1993)441
Smith, N.W.
Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259
Smyth, M.R., see Deacon, M. 652(1993)377
Soane, D., see Bae, Y.C. 652(1993)17
Soane, D.S., see Barron, A.E. 652(1993)3
Sørensen, H., see Arentoft, A.M. 652(1993)189
Sørensen, H., see Arentoft, A.M. 652(1993)517
Sørensen, H., see Bjergegaard, C. 652(1993)477
Sørensen, H., see Michaelsen, S. 652(1993)503
Sørensen, S., see Arentoft, A.M. 652(1993)189
Spelsberg, T.C., see Landers, J.P. 652(1993)109
Srinivasan, K., Girard, J.E., Williams, P., Roby, R.K., Weedn, V.W., Morris, S.C., Kline, M.C. and Reeder, D.J.
Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis–laser induced fluorescence system 652(1993)83

Sternberg, J., see Chen, F.-T.A. 652(1993)355
Stotzer, R., see Wolfisberg, H. 652(1993)407
Strege, M.A. and Lagu, A.L.
Capillary electrophoresis as a tool for the analysis of protein folding 652(1993)179
Sun, P., Barker, G.E., Hartwick, R.A., Grinberg, N. and Kaliszan, R.
Chiral separations using an immobilized protein–dextran polymer network in affinity capillary electrophoresis 652(1993)247
Tadey, T. and Purdy, W.C.
Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131
Terabe, S., see Otsuka, K. 652(1993)253
Thormann, W., see Wolfisberg, H. 652(1993)407
Tomlinson, A.J., Benson, L.M., Landers, J.P., Scanlan, G.F., Fang, J., Gorrod, J.W. and Naylor, S.
Investigation of the metabolism of the neuroleptic drug haloperidol by capillary electrophoresis 652(1993)417
Tomlinson, A.J., Landers, J.P., Lewis, I.A.S. and Naylor, S.
Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171
Tsuhako, M., see Baba, Y. 652(1993)93
Tsuji, K.
Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139
Tucci, S., see Hernandez, L. 652(1993)393
Tusak, A., see Chen, F.-T.A. 652(1993)355
Utagawa, Y., see Satow, T. 652(1993)23
Van de Goor, T.A.A.M., see Keely, C.A. 652(1993)283
Van de Goor, T.A.A.M., see Wanders, B.J. 652(1993)291
Varghese, J. and Cole, R.B.
Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis–electrospray mass spectrometry 652(1993)369
Verdeguer, P., see Hernandez, L. 652(1993)399
Vigh, G., see Rawjee, Y.Y. 652(1993)233
Vilenchik, M., see Pariat, Y.F. 652(1993)57
Vindevogel, J., see Lalljie, S.P.D. 652(1993)563
Visser, S., see de Jong, N. 652(1993)207
Vivilecchia, R.V., see Yowell, G.G. 652(1993)215
Vuorela, H., see Lukkari, P. 652(1993)451
Walbroehl, Y.M., see Cleveland, Jr. J.A. 652(1993)301
Wanders, B.J., van de Goor, T.A.A.M. and Everaerts, F.M.
On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291
Weedn, V.W., see Srinivasan, K. 652(1993)83
Wehr, T., see Zhu, M. 652(1993)119
Williams, P., see Srinivasan, K. 652(1993)83
Williams, R.L., see Rawjee, Y.Y. 652(1993)233
Wolfisberg, H., Schmutz, A., Stotzer, R. and Thormann, W.
Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407
Wu, C.-T., Huang, T.-L. and Lee, C.S.
Leakage current consideration of capillary electrophoresis under electroosmotic control 652(1993)277
Wu, J. and Pawliszyn, J.
In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295
Xian, J., see Singhal, R.P. 652(1993)47
Yamaguchi, M., see Izumi, T. 652(1993)41
Yamaguchi, Y., see Esaka, Y. 652(1993)225
Yeung, E.S., see McGregor, D.A. 652(1993)67
Yokogi, J., see Hara, T. 652(1993)361
Yoneda, K., see Izumi, T. 652(1993)41
Yoo, Y.S., Kim, Y.S., Jhon, G.-J. and Park, J.
Separation of gangliosides using cyclodextrin in capillary zone electrophoresis 652(1993)431
Yotsuyanagi, T., see Iki, N. 652(1993)539
Yowell, G.G., Fazio, S.D. and Vivilecchia, R.V.
Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215
Zhu, M., Wehr, T., Levi, V., Rodriguez, R., Shiffer, K. and Cao, Z.A.
Capillary electrophoresis of abnormal hemoglobins associated with α-thalassemias 652(1993)119